ELSEVIER

Neuroscience Letters 329 (2002) 362–367

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 329

Abbate, F., Catania, S., Germanà, A., González, T., Diaz-Esnal, B., Germanà, G., Vega, J.A., S-100 protein is a selective marker for sensory hair cells of the lateral line system in teleosts, 133
Abe, H., see Seki, M., 185
Ackermann, H., see Mathiak, K., 29
Agárdi, S., see Bari, F., 189
Aguilar, E., see Pinilla, L., 285
Ahn, H.J., see Choi, G.S., 1
Ahn, Y.M., Kang, U.G., Oh, S.W., Juhnn, Y.-S., Joo, Y.-H., Park, J.-B., Kim, Y.S., Region-specific phosphorylation of ATF-2, Elk-1 and c-Jun in rat hippocampus and cerebellum after electroconvulsive shock, 9
Aimi, Y., see Kawakami, T., 77
Akagawa, K., see Mishima, T., 273
Akai, M., see Hong, B., 57
Akasu, T., Muraoka, N., Hasuo, H., Hyperexcitability of hippocampal CA1 neurons after fluid percussion injury of the rat cerebral cortex, 305
Alagona, G., see Pennisi, G., 293
Ali, S.F., see Feng, Z.-H., 354
Alonso, D., see Encinas, J.-M., 197
Althuber, P., see Legat, F.J., 309
Álvarez-Álvarez, C., see Ortiz-Rey, J.A., 240
Alvarez, V., see Mata, I.F., 149
Ambrosio, S., see Cutillas, B., 165
Antón-Badiola, I., see Ortiz-Rey, J.A., 240
Apelt, J., Leßig, J., Schliebs, R., β-Amyloid-associated expression of intercellular adhesion molecule-1 in brain cortical tissue of transgenic Tg2576 mice, 111
Arendt, J., see Middleton, B., 41
Argiolas, A., see Melis, M.R., 339
Arinami, T., see Nakayama, J., 249
Asanuma, T., Ishibashi, H., Konno, A., Kon, Y., Inanami, O., Kuwabara, M., Assessment of neuroprotective ability of a spin trap, α-phenyl-*N*-*tert*-butylnitrone, against malonate-induced ischemic injury of rat brain by apparent water diffusion coefficient mapping, 281

Babu, P.P., see Kumar, K.A., 319
Bae, H.S., see Choi, G.S., 1
Bahn, G.-H., see Jang, M.-H., 177
Bakhshayesh, M., see Sharifi, A.M., 45
Baniasadi, S., see Sharifi, A.M., 45
Bari, F., Lazics, K., Domoki, F., Agárdi, S., Pelikán, S., Vásárhelyi, B., Temesvári, P., Unaltered cerebral Na^+,K^+-ATPase activity after hypoxic/ischemic injury in piglets, 189
Barreiro, M.L., see Pinilla, L., 285
Beblo, M., see Schnabel, R., 261
Bella, R., see Pennisi, G., 293
Bersani, G., Garavini, A., Iannitelli, A., Quartini, A., Nordio, M., Di Biasi, C., Pancheri, P., Reduced pineal volume in male patients with schizophrenia: no relationship to clinical features of the illness, 246
Bigini, P., Larini, S., Pasquali, C., Muzio, V., Mennini, T., Acetyl-L-carnitine shows neuroprotective and neurotrophic activity in primary culture of rat embryo motoneurons, 334
Birnbaum, D., see Popovici, C., 116
Blázquez, M., see Mata, I.F., 149
Bohin, J., Ternaux, J.-P., Effects of temperature on the early stages of rat spinal motoneurone development in vitro, 106
Boison, D., see Huber, A., 289
Bolmont, B., Gangloff, P., Vouriot, A., Perrin, P.P., Mood states and anxiety influence abilities to maintain balance control in healthy human subjects, 96
Boussaha, M., Hannequin, D., Verpillat, P., Brice, A., Frebourg, T., Campion, D., Polymorphisms of insulin degrading enzyme gene are not associated with Alzheimer's disease, 121
Brambilla, P., see Sassi, R.B., 243
Bratlid, T., see Wetterberg, L., 91
Brice, A., see Boussaha, M., 121
Bruckmann, W., see Tzschentke, T.M., 25
Budka, H., see Kovacs, G.G., 269
Buisseret, P., see Dauvergne, C., 169
Buisseret-Delmas, C., see Dauvergne, C., 169
Burmester, L., see Schnabel, R., 261

Calvin, S., see Temprado, J.J., 314
Campion, D., see Boussaha, M., 121
Cardile, V., see Muscoli, C., 21
Cassetta, E., see Rossi, L., 137
Catania, S., see Abbate, F., 133
Celuch, S.M., see García, M.d.C., 125
Chan, D., Revesz, T., Rudge, P., Hippocampal, but not parahippocampal, damage in a case of dense retrograde amnesia: a pathological study, 61
Chen, F., see Wen, T., 101
Cheng, J.-T., see Kuo, D.-Y., 359
Chiba, A., Oka, S., Saitoh, E., Ontogenetic changes in neuropeptide Y-immunoreactive cerebrospinal fluid-contacting neurons in the hypothalamus of the cloudy dogfish, *Scyliorhinus torazame* (Elasmobranchii), 301
Chigusa, S.I., see Nagaya, Y., 324
Cho, B.-K., see Chung, Y.-N., 5
Cho, S.-Y., see Lee, K.-S., 53
Cho, Y.W., see Choi, G.S., 1
Choi, G.S., Oh, S.D., Han, J.B., Bae, H.S., Cho, Y.W., Yun, Y.S., Lee, W.K., Ahn, H.J., Min, B.I., Modulation of natural killer cell activity affected by electroacupuncture through lateral hypothalamic area in rats, 1
Chung, Y.-N., Li, Y.C., Kim, S.-K., Cho, B.-K., Wang, K.-C., Skin graft on

PII: S0304-3940(02)00853-4

ELSEVIER

Neuroscience Letters 329 (2002) 362–367

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 329

Abbate, F., Catania, S., Germanà, A., González, T., Diaz-Esnal, B., Germanà, G., Vega, J.A., S-100 protein is a selective marker for sensory hair cells of the lateral line system in teleosts, 133
Abe, H., see Seki, M., 185
Ackermann, H., see Mathiak, K., 29
Agárdi, S., see Bari, F., 189
Aguilar, E., see Pinilla, L., 285
Ahn, H.J., see Choi, G.S., 1
Ahn, Y.M., Kang, U.G., Oh, S.W., Juhnn, Y.-S., Joo, Y.-H., Park, J.-B., Kim, Y.S., Region-specific phosphorylation of ATF-2, Elk-1 and c-Jun in rat hippocampus and cerebellum after electroconvulsive shock, 9
Aimi, Y., see Kawakami, T., 77
Akagawa, K., see Mishima, T., 273
Akai, M., see Hong, B., 57
Akasu, T., Muraoka, N., Hasuo, H., Hyperexcitability of hippocampal CA1 neurons after fluid percussion injury of the rat cerebral cortex, 305
Alagona, G., see Pennisi, G., 293
Ali, S.F., see Feng, Z.-H., 354
Alonso, D., see Encinas, J.-M., 197
Althuber, P., see Legat, F.J., 309
Álvarez-Álvarez, C., see Ortiz-Rey, J.A., 240
Alvarez, V., see Mata, I.F., 149
Ambrosio, S., see Cutillas, B., 165
Antón-Badiola, I., see Ortiz-Rey, J.A., 240
Apelt, J., Leßig, J., Schliebs, R., β-Amyloid-associated expression of intercellular adhesion molecule-1 in brain cortical tissue of transgenic Tg2576 mice, 111
Arendt, J., see Middleton, B., 41
Argiolas, A., see Melis, M.R., 339
Arinami, T., see Nakayama, J., 249
Asanuma, T., Ishibashi, H., Konno, A., Kon, Y., Inanami, O., Kuwabara, M., Assessment of neuroprotective ability of a spin trap, α-phenyl-*N*-*tert*-butylnitrone, against malonate-induced ischemic injury of rat brain by apparent water diffusion coefficient mapping, 281

Babu, P.P., see Kumar, K.A., 319
Bae, H.S., see Choi, G.S., 1
Bahn, G.-H., see Jang, M.-H., 177
Bakhshayesh, M., see Sharifi, A.M., 45
Baniasadi, S., see Sharifi, A.M., 45
Bari, F., Lazics, K., Domoki, F., Agárdi, S., Pelikán, S., Vásárhelyi, B., Temesvári, P., Unaltered cerebral Na^+,K^+-ATPase activity after hypoxic/ischemic injury in piglets, 189
Barreiro, M.L., see Pinilla, L., 285
Beblo, M., see Schnabel, R., 261
Bella, R., see Pennisi, G., 293
Bersani, G., Garavini, A., Iannitelli, A., Quartini, A., Nordio, M., Di Biasi, C., Pancheri, P., Reduced pineal volume in male patients with schizophrenia: no relationship to clinical features of the illness, 246
Bigini, P., Larini, S., Pasquali, C., Muzio, V., Mennini, T., Acetyl-L-carnitine shows neuroprotective and neurotrophic activity in primary culture of rat embryo motoneurons, 334
Birnbaum, D., see Popovici, C., 116
Blázquez, M., see Mata, I.F., 149
Bohin, J., Ternaux, J.-P., Effects of temperature on the early stages of rat spinal motoneurone development in vitro, 106
Boison, D., see Huber, A., 289
Bolmont, B., Gangloff, P., Vouriot, A., Perrin, P.P., Mood states and anxiety influence abilities to maintain balance control in healthy human subjects, 96
Boussaha, M., Hannequin, D., Verpillat, P., Brice, A., Frebourg, T., Campion, D., Polymorphisms of insulin degrading enzyme gene are not associated with Alzheimer's disease, 121
Brambilla, P., see Sassi, R.B., 243
Bratlid, T., see Wetterberg, L., 91
Brice, A., see Boussaha, M., 121
Bruckmann, W., see Tzschentke, T.M., 25
Budka, H., see Kovacs, G.G., 269
Buisseret, P., see Dauvergne, C., 169
Buisseret-Delmas, C., see Dauvergne, C., 169
Burmester, L., see Schnabel, R., 261

Calvin, S., see Temprado, J.J., 314
Campion, D., see Boussaha, M., 121
Cardile, V., see Muscoli, C., 21
Cassetta, E., see Rossi, L., 137
Catania, S., see Abbate, F., 133
Celuch, S.M., see García, M.d.C., 125
Chan, D., Revesz, T., Rudge, P., Hippocampal, but not parahippocampal, damage in a case of dense retrograde amnesia: a pathological study, 61
Chen, F., see Wen, T., 101
Cheng, J.-T., see Kuo, D.-Y., 359
Chiba, A., Oka, S., Saitoh, E., Ontogenetic changes in neuropeptide Y-immunoreactive cerebrospinal fluid-contacting neurons in the hypothalamus of the cloudy dogfish, *Scyliorhinus torazame* (Elasmobranchii), 301
Chigusa, S.I., see Nagaya, Y., 324
Cho, B.-K., see Chung, Y.-N., 5
Cho, S.-Y., see Lee, K.-S., 53
Cho, Y.W., see Choi, G.S., 1
Choi, G.S., Oh, S.D., Han, J.B., Bae, H.S., Cho, Y.W., Yun, Y.S., Lee, W.K., Ahn, H.J., Min, B.I., Modulation of natural killer cell activity affected by electroacupuncture through lateral hypothalamic area in rats, 1
Chung, Y.-N., Li, Y.C., Kim, S.-K., Cho, B.-K., Wang, K.-C., Skin graft on

PII: S0304-3940(02)00853-4

the surgically induced spinal open neural tube defects does not induce lipomatous malformation but enhances re-closure to the normal state in chick embryos, 5
Conrath, M., see Salio, C., 13
Coto García, E., see Mata, I.F., 149
Couey, J.J., Ryan, D.P., Glover, J.T., Dreixler, J.C., Young, J.B., Houamed, K.M., Giant excised patch recordings of recombinant ion channel currents expressed in mammalian cells, 17
Coyle, T., see Temprado, J.J., 314
Cutillas, B., Ambrosio, S., Unzeta, M., Neuroprotective effect of the monoamine oxidase inhibitor PF 9601N [*N*-(2-propynyl)-2-(5-benzyloxyindolyl) methylamine] on rat nigral neurons after 6-hydroxydopamine-striatal lesion, 165

Dauvergne, C., Zerari-Mailly, F., Buisseret, P., Buisseret-Delmas, C., Pinganaud, G., The sensory trigeminal complex projects contralaterally to the facial motor and the accessory abducens nuclei in the rat, 169
De Armas, L., see Valeriani, M., 329
de Boer-van Huizen, R.T., see Vis, J.C., 86
De la Fuente-Buceta, A., see Ortiz-Rey, J.A., 240
De Nicola, A.F., see Saravia, F.E., 344
de Waal, R.M.W., see Vis, J.C., 86
Deghenghi, R., see Melis, M.R., 339
Dehpour, A.R., see Khavandgar, S., 237
Delmonte Corrado, M.U., Ognibene, M., Trielli, F., Politi, H., Passalacqua, M., Falugi, C., Detection of molecules related to the GABAergic system in a single-cell eukaryote, *Paramecium primaurelia*, 65
Di Biasi, C., see Bersani, G., 246
Diaz-Esnal, B., see Abbate, F., 133
Doly, S., see Salio, C., 13
Domoki, F., see Bari, F., 189
Dreixler, J.C., see Couey, J.J., 17

Ellrich, J., Schorr, A., Long-term depression of the human masseter inhibitory reflex, 265
Encinas, J.-M., Serrano, J., Alonso, D., Fernández, A.-P., Rodrigo, J., Adrenomedullin over-expression in the caudate-putamen of the adult rat brain after ischaemia–reperfusion injury, 197
Endo, T., see Kim, T.S., 173

Falugi, C., see Delmonte Corrado, M.U., 65
Feng, Z.-H., Wang, T.-G., Li, D.-D., Fung, P., Wilson, B.C., Liu, B., Ali, S.F., Langenbach, R., Hong, J.-S., Cyclooxygenase-2-deficient mice are resistant to 1-methyl-4-phenyl1, 2, 3, 6-tetrahydropyridine-induced damage of dopaminergic neurons in the substantia nigra, 354
Fernández, A.-P., see Encinas, J.-M., 197
Ferri, R., see Pennisi, G., 293
Finazzi-Agró, A., see Rossi, L., 137
Fischer, J., see Salio, C., 13
Fladby, T., see Wetterberg, L., 91
Flonta, M.L., see Pluteanu, F., 277
Forastiere, E., see Rossi, L., 137
Frank, E., see Sassi, R.B., 243
Franzoni, M.F., see Salio, C., 13
Frebourg, T., see Boussaha, M., 121
Fresta, M., see Muscoli, C., 21
Friderichs, E., see Tzschentke, T.M., 25
Fujibayashi, Y., see Omata, N., 205
Fujiwara, T., see Mishima, T., 273
Fukuchi, T., see Seki, M., 185
Funahashi, H., see Guan, J.-L., 209
Fung, P., see Feng, Z.-H., 354

Gangloff, P., see Bolmont, B., 96
Garavini, A., see Bersani, G., 246
García, M.d.C., Celuch, S.M., Participation of nitric oxide and *N*-methyl-D-aspartic acid receptors in the pressor response to intrathecal injected noradrenaline at the spinal cord of the rat, 125
García-Moreira, V., see Mata, I.F., 149
Gardi, J., Taishi, P., Speth, R., Obal Jr., F., Krueger, J.M., Sleep loss alters hypothalamic growth hormone-releasing hormone receptors in rats, 69
Geisslinger, G., see Lötsch, J., 145
Germanà, A., see Abbate, F., 133
Germanà, G., see Abbate, F., 133
Glover, J.T., see Couey, J.J., 17
Goings, G.E., Wibisono, B.L., Szele, F.G., Cerebral cortex lesions decrease the number of bromodeoxyuridine-positive subventricular zone cells in mice, 161
González, T., see Abbate, F., 133
Greco, S., see Pennisi, G., 293
Greiner, C., Wölfer, J., Wassmann, H., Köhling, R., Speckmann, E.-J., Effects of methohexital on bioelectrical reactions in guinea pig hippocampal slices during hypoxia, 227
Grélot, L., see Temprado, J.J., 314
Griesbacher, T., see Legat, F.J., 309
Gu, P., see Wen, T., 101
Guan, J.-L., Suzuki, R., Funahashi, H., Wang, Q.-P., Kageyama, H., Uehara, K., Yamada, S., Tsurugano, S., Shioda, S., Ultrastructural localization of orexin-1 receptor in pre- and post-synaptic neurons in the rat arcuate nucleus, 209
Guisasola, L.M., see Mata, I.F., 149
Güttinger, M., see Huber, A., 289

Hainfellner, J.A., see Kovacs, G.G., 269
Hamano, K., see Nakayama, J., 249
Han, J.B., see Choi, G.S., 1
Hannequin, D., see Boussaha, M., 121
Hashimoto, I., see Ozaki, I., 222
Hasuo, H., see Akasu, T., 305
Henrich-Noack, P., see Riek-Burchardt, M., 181
Hertrich, I., see Mathiak, K., 29
Hibino, H., see Tochigi, M., 201
Homayoun, H., see Khavandgar, S., 237
Hong, B., Kuwaki, T., Ju, K., Kumada, M., Akai, M., Ueno, S., Changes in blood pressure and heart rate by repetitive transcranial magnetic stimulation in rats, 57
Hong, J.-S., see Feng, Z.-H., 354
Horigome, Y., see Nakayama, J., 249
Hosono, T., see Kanosue, K., 157
Houamed, K.M., see Couey, J.J., 17
Hu, G.-Y., see Li, Y., 153
Huber, A., Güttinger, M., Möhler, H., Boison, D., Seizure suppression by adenosine A_{2A} receptor activation in a rat model of audiogenic brainstem epilepsy, 289

Iannitelli, A., see Bersani, G., 246
Iguchi, F., see Kim, T.S., 173
Ikeda, T., Xia, Y.X., Kaneko, M., Sameshima, H., Ikenoue, T., Effect of the free radical scavenger, 3-methyl-1-phenyl-2-pyrazolin-5-one (MCI-186), on hypoxia-ischemia-induced brain injury in neonatal rats, 33
Ikenoue, T., see Ikeda, T., 33

Inanami, O., see Asanuma, T., 281
Inoue, O., see Kanosue, K., 157
Inui, A., see Kuo, D.-Y., 359
Ishibashi, H., see Asanuma, T., 281
Isnardon, D., see Popovici, C., 116
Isono, T., see Kawakami, T., 77
Ito, J., see Kim, T.S., 173
Itoh, H., see Kawabata, A., 349
Iwasaki, N., see Nakayama, J., 249

Jang, M.-H., Lee, T.-H., Shin, M.-C., Bahn, G.-H., Kim, J.-W., Shin, D.-H., Kim, E.-H., Kim, C.-J., Protective effect of *Hypericum perforatum* Linn (St. John's wort) against hydrogen peroxide-induced apoptosis on human neuroblastoma cells, 177
Jang, M.-H., see Lee, K.-S., 53
Jang, M.-H., Shin, M.-C., Lee, T.-H., Kim, Y.-P., Jung, S.-B., Shin, D.-H., Kim, H., Kim, S.-S., Kim, E.-H., Kim, C.-J., Alcohol and nicotine administration inhibits serotonin synthesis and tryptophan hydroxylase expression in dorsal and median raphe of young rats, 141
Jin, Y.C., see Ozaki, I., 222
Joo, Y.-H., see Ahn, Y.M., 9
Jorjani, M., see Sharifi, A.M., 45
Ju, K., see Hong, B., 57
Juhnn, Y.-S., see Ahn, Y.M., 9
Juji, T., see Tochigi, M., 201
Jung, S.-B., see Jang, M.-H., 141

Kaernbach, C., Schulze, H., Auditory sensory memory for random waveforms in the Mongolian gerbil, 37
Kageyama, H., see Guan, J.-L., 209
Kanamori, R., see Tochigi, M., 201
Kaneko, M., see Ikeda, T., 33
Kang, U.G., see Ahn, Y.M., 9
Kanosue, K., Sadato, N., Okada, T., Yoda, T., Nakai, S., Yoshida, K., Hosono, T., Nagashima, K., Yagishita, T., Inoue, O., Kobayashi, K., Yonekura, Y., Brain activation during whole body cooling in humans studied with functional magnetic resonance imaging, 157
Kataoka, K., see Kawabata, A., 349
Kato, N., see Tochigi, M., 201
Kawabata, A., Kawao, N., Itoh, H., Shimada, C., Takebe, K., Kuroda, R., Masuko, T., Kataoka, K., Ogawa, S., Role of *N*-methyl-D-aspartate receptors and the nitric oxide pathway in nociception/hyperalgesia elicited by protease-activated receptor-2 activation in mice and rats, 349
Kawakami, T., Wakabayashi, Y., Isono, T., Aimi, Y., Okada, Y., Expression of neurotrophin messenger RNAs during rat urinary bladder development, 77
Kawao, N., see Kawabata, A., 349
Kerl, H., see Legat, F.J., 309
Keshavan, M.S., see Sassi, R.B., 243
Khavandgar, S., Homayoun, H., Dehpour, A.R., The role of nitric oxide in the proconvulsant effect of δ-opioid agonist SNC80 in mice, 237
Kim, C.-J., see Jang, M.-H., 141
Kim, C.-J., see Jang, M.-H., 177
Kim, C.-J., see Lee, K.-S., 53
Kim, E.-H., see Jang, M.-H., 141
Kim, E.-H., see Jang, M.-H., 177
Kim, E.-H., see Lee, K.-S., 53
Kim, H., see Jang, M.-H., 141
Kim, H., see Lee, K.-S., 53
Kim, J.-W., see Jang, M.-H., 177
Kim, S.-K., see Chung, Y.-N., 5
Kim, S.-S., see Jang, M.-H., 141
Kim, T.S., Nakagawa, T., Endo, T., Iguchi, F., Murai, N., Naito, Y., Ito, J., Alteration of E-cadherin and β-catenin in mouse vestibular epithelia during induction of apoptosis, 173
Kim, Y.-P., see Jang, M.-H., 141
Kim, Y.-P., see Lee, K.-S., 53
Kim, Y.S., see Ahn, Y.M., 9
Kobayashi, K., see Kanosue, K., 157
Kohda, K., see Tochigi, M., 201
Köhling, R., see Greiner, C., 227
Komatsu, A., see Nagaya, Y., 324
Kon, Y., see Asanuma, T., 281
Konno, A., see Asanuma, T., 281
Kovacs, G.G., Zerbi, P., Voigtländer, T., Strohschneider, M., Trabattoni, G., Hainfellner, J.A., Budka, H., The prion protein in human neurodegenerative disorders, 269
Kremer, B., see Vis, J.C., 86
Krueger, J.M., see Gardi, J., 69
Kumada, M., see Hong, B., 57
Kumar, K.A., Babu, P.P., Mitochondrial anomalies are associated with the induction of intrinsic cell death proteins-Bcl_2, Bax, cytochrome-c and p53 in mice brain during experimental fatal murine cerebral malaria, 319
Kuo, D.-Y., Inui, A., Cheng, J.-T., Effect of amphetamine repeated treatment on the feeding behavior in neuropeptide Y-overexpressing mice, 359
Kuo, T.B.J., see Yang, C.C.H., 213
Kupfer, D.J., see Sassi, R.B., 243
Kuroda, R., see Kawabata, A., 349
Kutsukake, M., see Nagaya, Y., 324
Kuwabara, M., see Asanuma, T., 281
Kuwaki, T., see Hong, B., 57

Lahoz, C.H., see Mata, I.F., 149
Lai, C.-W., see Yang, C.C.H., 213
Lai, H.Y., see Yang, C.C.H., 213
Langenbach, R., see Feng, Z.-H., 354
Larini, S., see Bigini, P., 334
Laurent, M., see Temprado, J.J., 314
Lazics, K., see Bari, F., 189
Le Pera, D., see Valeriani, M., 329
Lee, K.-S., Lim, B.-V., Jang, M.-H., Shin, M.-C., Lee, T.-H., Kim, Y.-P., Shin, H.-S., Cho, S.-Y., Kim, H., Shin, M.-S., Kim, E.-H., Kim, C.-J., Hypothermia inhibits cell proliferation and nitric oxide synthase expression in rats, 53
Lee, T.-H., see Jang, M.-H., 141
Lee, T.-H., see Jang, M.-H., 177
Lee, T.-H., see Lee, K.-S., 53
Lee, W.K., see Choi, G.S., 1
Legat, F.J., Griesbacher, T., Schicho, R., Althuber, P., Schuligoi, R., Kerl, H., Wolf, P., Repeated subinflammatory ultraviolet B irradiation increases substance P and calcitonin gene-related peptide content and augments mustard oil-induced neurogenic inflammation in the skin of rats, 309
Leßig, J., see Apelt, J., 111
Li, D.-D., see Feng, Z.-H., 354
Li, Y., Hu, G.-Y., Huperzine A inhibits the sustained potassium current in rat dissociated hippocampal neurons, 153
Li, Y.C., see Chung, Y.-N., 5
Lim, B.-V., see Lee, K.-S., 53
Lima, A., see Saravia, F.E., 344
Liu, B., see Feng, Z.-H., 354

Lötsch, J., Schmidt, R., Vetter, G., Schmidt, H., Skarke, C., Niederberger, E., Geisslinger, G., Tegeder, I., The influence of inhibition of probenecid sensitive transporters on the central nervous system (CNS) uptake and the antinociceptive activity of morphine-6-glucuronide in rats, 145
Lutzenberger, W., see Mathiak, K., 29

Maiese, T., see Valeriani, M., 329
Mallinger, A.G., see Sassi, R.B., 243
Maniotis, D., Wood, M.J.A., Phylactou, L.A., Hammerhead ribozymes reduce central nervous system (CNS)-derived neuronal nitric oxide synthase messenger RNA in a human cell line, 81
Marchese, E., see Rossi, L., 137
Marsden, C.A., see Thongsaard, W., 129
Marui, T., see Tochigi, M., 201
Maruoka, N., see Omata, N., 205
Mascia, M.S., see Melis, M.R., 339
Masui, K., see Tochigi, M., 201
Masuko, T., see Kawabata, A., 349
Mata, I.F., Alvarez, V., García-Moreira, V., Guisasola, L.M., Ribacoba, R., Salvador, C., Blázquez, M., Sarmiento, R.G., Lahoz, C.H., Menes, B.B., Coto García, E., Single-nucleotide polymorphisms in the promoter region of the PARKIN gene and Parkinson's disease, 149
Mathiak, K., Hertrich, I., Lutzenberger, W., Ackermann, H., The influence of critical bands on neuromagnetic fields evoked by speech stimuli in humans, 29
Matsui, A., see Nakayama, J., 249
Matsunaga, M., see Ozaki, I., 222
Matsushima, T., see Mori, M., 73
May, T.W., see Schnabel, R., 261
Melis, M.R., Mascia, M.S., Succu, S., Torsello, A., Muller, E.E., Deghenghi, R., Argiolas, A., Ghrelin injected into the paraventricular nucleus of the hypothalamus of male rats induces feeding but not penile erection, 339
Menes, B.B., see Mata, I.F., 149
Mennini, T., see Bigini, P., 334
Middleton, B., Stone, B.M., Arendt, J., Human circadian phase in 12:12 h, 200: $<$ 8 lux and 1000: $<$ 8 lux light-dark cycles, without scheduled sleep or activity, 41
Milliex, L., see Temprado, J.J., 314
Min, B.I., see Choi, G.S., 1
Mishima, T., Fujiwara, T., Akagawa, K., Reduction of neurotransmitter release by the exogenous H3 domain peptide of HPC-1/syntaxin 1A in cultured rat hippocampal neurons, 273
Möhler, H., see Huber, A., 289
Mollace, V., see Muscoli, C., 21
Mori, M., Matsushima, T., Post-hatch development of dendritic arborization in cerebellar Purkinje neurons of quail chicks: a morphometric study, 73
Morioka, T., see Seki, M., 185
Muller, E.E., see Melis, M.R., 339
Murai, N., see Kim, T.S., 173
Muraoka, N., see Akasu, T., 305
Murata, T., see Omata, N., 205
Murphy, K.P.S.J., see Spencer, J.P., 217
Muscoli, C., Fresta, M., Cardile, V., Palumbo, M., Renis, M., Puglisi, G., Paolino, D., Nisticò, S., Rotiroti, D., Mollace, V., Ethanol-induced injury in rat primary cortical astrocytes involves oxidative stress: effect of idebenone, 21
Mutoh, S., see Ochi, T., 193
Muzio, V., see Bigini, P., 334

Nagashima, K., see Kanosue, K., 157
Nagaya, Y., Kutsukake, M., Chigusa, S.I., Komatsu, A., A trace amine, tyramine, functions as a neuromodulator in *Drosophila melanogaster*, 324
Naito, Y., see Kim, T.S., 173
Nakagawa, T., see Kim, T.S., 173
Nakahara, C., see Nakayama, J., 249
Nakahara, S., see Nakayama, J., 249
Nakai, S., see Kanosue, K., 157
Nakayama, J., Yamamoto, N., Hamano, K., Iwasaki, N., Ohta, M., Nakahara, S., Horigome, Y., Nakahara, C., Noguchi, E., Shiono, J., Shimakura, Y., Yamakawa-Kobayashi, K., Matsui, A., Arinami, T., Failure to find evidence for association between voltage-gated sodium channel gene *SCN2A* variants and febrile seizures in humans, 249
Nawa, H., see Seki, M., 185
Nicoletti, M., see Sassi, R.B., 243
Niederberger, E., see Lötsch, J., 145
Nisticò, S., see Muscoli, C., 21
Noguchi, E., see Nakayama, J., 249
Nordio, M., see Bersani, G., 246
Nybom, R., see Wetterberg, L., 91

Obal Jr., F., see Gardi, J., 69
Obeng, K., see Zhang, Z.-J., 253
Ochi, T., Ohkubo, Y., Mutoh, S., The spinal antinociceptive effect of kyotorphin in mice: involvement of the descending noradrenergic and serotonergic systems, 193
Ogawa, S., see Kawabata, A., 349
Ognibene, M., see Delmonte Corrado, M.U., 65
Oh, S.D., see Choi, G.S., 1
Oh, S.W., see Ahn, Y.M., 9
Ohashi, J., see Tochigi, M., 201
Ohkubo, Y., see Ochi, T., 193
Ohta, M., see Nakayama, J., 249
Oite, T., see Seki, M., 185
Oka, S., see Chiba, A., 301
Okada, T., see Kanosue, K., 157
Okada, Y., see Kawakami, T., 77
Olsson, B., see Wetterberg, L., 91
Omata, N., Murata, T., Takamatsu, S., Maruoka, N., Wada, Y., Yonekura, Y., Fujibayashi, Y., Hypoxic tolerance induction in rat brain slices following hypoxic preconditioning due to expression of neuroprotective proteins as revealed by dynamic changes in glucose metabolism, 205
Ortiz-Rey, J.A., Álvarez-Álvarez, C., Antón-Badiola, I., San Miguel-Fraile, P., De la Fuente-Buceta, A., Human Meissner corpuscles express Bcl-2 but not Bax protein, 240
Otowa, T., see Tochigi, M., 201
Ozaki, I., Jin, Y.C., Suzuki, Y., Matsunaga, M., Hashimoto, I., Dynamic anterolateral movement of N100m dipoles in evoked magnetic field reflects activation of isofrequency bands through horizontal fibers in human auditory cortex, 222

Palumbo, M., see Muscoli, C., 21
Pancheri, P., see Bersani, G., 246
Paolino, D., see Muscoli, C., 21
Pappalardo, A., see Pennisi, G., 293
Park, J.-B., see Ahn, Y.M., 9
Pasqualetti, P., see Rossi, L., 137
Pasquali, C., see Bigini, P., 334
Passalacqua, M., see Delmonte Corrado, M.U., 65
Pelikán, S., see Bari, F., 189

Pelto-Huikko, M., see Rybnikova, E., 49
Pennisi, G., Alagona, G., Ferri, R., Greco, S., Santonocito, D., Pappalardo, A., Bella, R., Motor cortex excitability in Alzheimer disease: one year follow-up study, 293
Perrin, P.P., see Bolmont, B., 96
Phylactou, L.A., see Maniotis, D., 81
Pietranera, L., see Saravia, F.E., 344
Pinganaud, G., see Dauvergne, C., 169
Pinilla, L., Barreiro, M.L., Tena-Sempere, M., Aguilar, E., Raloxifene effects upon the neuronal system controlling sexual receptivity in female rats, 285
Pluteanu, F., Ristoiu, V., Flonta, M.L., Reid, G., α_1-adrenoceptor-mediated depolarization and β-mediated hyperpolarization in cultured rat dorsal root ganglion neurones, 277
Politi, H., see Delmonte Corrado, M.U., 65
Popovici, C., Isnardon, D., Birnbaum, D., Roubin, R., *Caenorhabditis elegans* receptors related to mammalian vascular endothelial growth factor receptors are expressed in neural cells, 116
Post, R.M., see Zhang, Z.-J., 253
Postma, T., see Zhang, Z.-J., 253
Puglisi, G., see Muscoli, C., 21

Quartini, A., see Bersani, G., 246

Rahimi, F., see Sharifi, A.M., 45
Reid, G., see Pluteanu, F., 277
Reiser, G., see Riek-Burchardt, M., 181
Renis, M., see Muscoli, C., 21
Restuccia, D., see Valeriani, M., 329
Revesz, T., see Chan, D., 61
Revsin, Y., see Saravia, F.E., 344
Reymann, K.G., see Riek-Burchardt, M., 181
Ribacoba, R., see Mata, I.F., 149
Riek-Burchardt, M., Striggow, F., Henrich-Noack, P., Reiser, G., Reymann, K.G., Increase of prothrombin-mRNA after global cerebral ischemia in rats, with constant expression of protease nexin-1 and protease-activated receptors, 181
Ristoiu, V., see Pluteanu, F., 277
Rodrigo, J., see Encinas, J.-M., 197
Roig, P., see Saravia, F.E., 344
Rossi, L., Squitti, R., Pasqualetti, P., Marchese, E., Cassetta, E., Forastiere, E., Rotilio, G., Rossini, P.M., Finazzi-Agró, A., Red blood cell copper, zinc superoxide dismutase activity is higher in Alzheimer's disease and is decreased by D-penicillamine, 137
Rossini, P.M., see Rossi, L., 137
Rotilio, G., see Rossi, L., 137
Rotiroti, D., see Muscoli, C., 21
Roubin, R., see Popovici, C., 116
Rudge, P., see Chan, D., 61
Russell, S., see Zhang, Z.-J., 253
Ryan, D.P., see Couey, J.J., 17
Rybnikova, E., Tulkova, E., Pelto-Huikko, M., Samoilov, M., Mild preconditioning hypoxia modifies nerve growth factor-induced gene A messenger RNA expression in the rat brain induced by severe hypoxia, 49

Sadato, N., see Kanosue, K., 157
Saitoh, E., see Chiba, A., 301
Salio, C., Doly, S., Fischer, J., Franzoni, M.F., Conrath, M., Neuronal and astrocytic localization of the cannabinoid receptor-1 in the dorsal horn of the rat spinal cord, 13
Salvador, C., see Mata, I.F., 149
Sameshima, H., see Ikeda, T., 33
Samoilov, M., see Rybnikova, E., 49
San Miguel-Fraile, P., see Ortiz-Rey, J.A., 240
Santonocito, D., see Pennisi, G., 293
Saravia, F.E., Pietranera, L., Lima, A., Roig, P., Revsin, Y., De Nicola, A.F., Deoxycorticosterone stimulates the activity of nicotinamide adenine dinucleotide phosphate-diaphorase/nitric oxide synthase immunoreactivity in hypothalamic nuclei of rats, 344
Sarmiento, R.G., see Mata, I.F., 149
Sasaki, T., see Tochigi, M., 201
Sassi, R.B., Nicoletti, M., Brambilla, P., Mallinger, A.G., Frank, E., Kupfer, D.J., Keshavan, M.S., Soares, J.C., Increased gray matter volume in lithium-treated bipolar disorder patients, 243
Schicho, R., see Legat, F.J., 309
Schliebs, R., see Apelt, J., 111
Schmidt, H., see Lötsch, J., 145
Schmidt, R., see Lötsch, J., 145
Schnabel, R., Beblo, M., May, T.W., Burmester, L., Is sudden unexplained death in adult epileptic patients associated with geomagnetic disturbances at the day of death or the 4 days before?, 261
Schorr, A., see Ellrich, J., 265
Schuligoi, R., see Legat, F.J., 309
Schulze, H., see Kaernbach, C., 37
Seki, M., Nawa, H., Morioka, T., Fukuchi, T., Oite, T., Abe, H., Takei, N., Establishment of a novel enzyme-linked immunosorbant assay for Thy-1; quantitative assessment of neuronal degeneration, 185
Serrano, J., see Encinas, J.-M., 197
Sharifi, A.M., Baniasadi, S., Jorjani, M., Rahimi, F., Bakhshayesh, M., Investigation of acute lead poisoning on apoptosis in rat hippocampus in vivo, 45
Shimada, C., see Kawabata, A., 349
Shimakura, Y., see Nakayama, J., 249
Shin, D.-H., see Jang, M.-H., 141
Shin, D.-H., see Jang, M.-H., 177
Shin, H.-S., see Lee, K.-S., 53
Shin, M.-C., see Jang, M.-H., 141
Shin, M.-C., see Jang, M.-H., 177
Shin, M.-C., see Lee, K.-S., 53
Shin, M.-S., see Lee, K.-S., 53
Shioda, S., see Guan, J.-L., 209
Shiono, J., see Nakayama, J., 249
Skarke, C., see Lötsch, J., 145
Soares, J.C., see Sassi, R.B., 243
Sossin, W.S., see Zabouri, N., 257
Speckmann, E.-J., see Greiner, C., 227
Spencer, J.P., Murphy, K.P.S.J., Activation of cyclic AMP-dependent protein kinase is required for long-term enhancement at corticostriatal synapses in rats, 217
Speth, R., see Gardi, J., 69
Squitti, R., see Rossi, L., 137
Stone, B.M., see Middleton, B., 41
Striggow, F., see Riek-Burchardt, M., 181
Strohschneider, M., see Kovacs, G.G., 269
Succu, S., see Melis, M.R., 339
Sugahara, Y., see Tochigi, M., 201
Suzuki, R., see Guan, J.-L., 209
Suzuki, Y., see Ozaki, I., 222
Szele, F.G., see Goings, G.E., 161

Taishi, P., see Gardi, J., 69
Takamatsu, S., see Omata, N., 205

Takebe, K., see Kawabata, A., 349
Takei, N., see Seki, M., 185
Tegeder, I., see Lötsch, J., 145
Temesvari, P., see Bari, F., 189
Temprado, J.J., Milliex, L., Grélot, L., Coyle, T., Calvin, S., Laurent, M., A dynamic pattern analysis of coordination between breathing and rhythmic arm movements in humans, 314
ten Donkelaar, H.J., see Vis, J.C., 86
Tena-Sempere, M., see Pinilla, L., 285
Ternaux, J.-P., see Bohin, J., 106
Thongsaard, W., Marsden, C.A., A herbal medicine used in the treatment of addiction mimics the action of amphetamine on in vitro rat striatal dopamine release, 129
Tochigi, M., Ohashi, J., Umekage, T., Kohda, K., Hibino, H., Otowa, T., Marui, T., Masui, K., Sugahara, Y., Kanamori, R., Juji, T., Kato, N., Tokunaga, K., Sasaki, T., Human leukocyte antigen-A specificities and its relation with season of birth in Japanese patients with schizophrenia, 201
Tokunaga, K., see Tochigi, M., 201
Tonali, P., see Valeriani, M., 329
Torsello, A., see Melis, M.R., 339
Trabattoni, G., see Kovacs, G.G., 269
Trielli, F., see Delmonte Corrado, M.U., 65
Tsurugano, S., see Guan, J.-L., 209
Tulkova, E., see Rybnikova, E., 49
Tzschentke, T.M., Bruckmann, W., Friderichs, E., Lack of sensitization during place conditioning in rats is consistent with the low abuse potential of tramadol, 25

Uehara, K., see Guan, J.-L., 209
Ueno, S., see Hong, B., 57
Umekage, T., see Tochigi, M., 201
Unzeta, M., see Cutillas, B., 165

Valeriani, M., Restuccia, D., Le Pera, D., De Armas, L., Maiese, T., Tonali, P., Attention-related modifications of ultra-late CO_2 laser evoked potentials to human trigeminal nerve stimulation, 329
Vásárhelyi, B., see Bari, F., 189
Vega, J.A., see Abbate, F., 133
Verbeek, M.M., see Vis, J.C., 86
Verpillat, P., see Boussaha, M., 121
Vetter, G., see Lötsch, J., 145
Vis, J.C., de Boer-van Huizen, R.T., Verbeek, M.M., de Waal, R.M.W., ten Donkelaar, H.J., Kremer, B., 3-Nitropropionic acid induces cell death and mitochondrial dysfunction in rat corticostriatal slice cultures, 86
Voigtländer, T., see Kovacs, G.G., 269
Vouriot, A., see Bolmont, B., 96

Wada, Y., see Omata, N., 205
Wakabayashi, Y., see Kawakami, T., 77
Wang, K.-C., see Chung, Y.-N., 5
Wang, Q.-P., see Guan, J.-L., 209
Wang, T.-G., see Feng, Z.-H., 354
Wassmann, H., see Greiner, C., 227
Weiss, S.R.B., see Zhang, Z.-J., 253
Wen, T., Gu, P., Chen, F., Discovery of two novel functional genes from differentiation of neural stem cells in the striatum of the fetal rat, 101
Wetterberg, L., Nybom, R., Bratlid, T., Fladby, T., Olsson, B., Wigzell, H., Micrometer-sized particles in cerebrospinal fluid (CSF) in patients with schizophrenia, 91
Wibisono, B.L., see Goings, G.E., 161
Wigzell, H., see Wetterberg, L., 91
Wilson, B.C., see Feng, Z.-H., 354
Wolf, P., see Legat, F.J., 309
Wölfer, J., see Greiner, C., 227
Wood, M.J.A., see Maniotis, D., 81

Xia, Y.X., see Ikeda, T., 33
Xu, H.-P., Zhao, J.-W., Yang, X.-L., Expression of voltage-dependent calcium channel subunits in the rat retina, 297

Yagishita, T., see Kanosue, K., 157
Yamada, S., see Guan, J.-L., 209
Yamakawa-Kobayashi, K., see Nakayama, J., 249
Yamamoto, N., see Nakayama, J., 249
Yang, C.C.H., Lai, C.-W., Lai, H.Y., Kuo, T.B.J., Relationship between electroencephalogram slow-wave magnitude and heart rate variability during sleep in humans, 213
Yang, X.-L., see Xu, H.-P., 297
Yoda, T., see Kanosue, K., 157
Yonekura, Y., see Kanosue, K., 157
Yonekura, Y., see Omata, N., 205
Yoshida, K., see Kanosue, K., 157
Young, J.B., see Couey, J.J., 17
Yun, Y.S., see Choi, G.S., 1

Zabouri, N., Sossin, W.S., Oxidation induces autonomous activation of protein kinase C Apl I, but not protein kinase C Apl II in homogenates of *Aplysia* neurons, 257
Zerari-Mailly, F., see Dauvergne, C., 169
Zerbi, P., see Kovacs, G.G., 269
Zhang, G., see Zhang, Q., 232
Zhang, Q., Zhang, G., Activation and autophosphorylation of apoptosis signal-regulating kinase 1 (ASK1) following cerebral ischemia in rat hippocampus, 232
Zhang, Z.-J., Postma, T., Obeng, K., Russell, S., Weiss, S.R.B., Post, R.M., The benzodiazepine partial inverse agonist Ro15-4513 alters anticonvulsant and lethal effects of carbamazepine in amygdala-kindled rats, 253
Zhao, J.-W., see Xu, H.-P., 297